

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L2 | 1591 | (patel near3 ashok\$5) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/02/23 08:03 |
| L3 | 333 | (patel near3 ashok\$5).xa. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/02/23 08:07 |
| L4 | 6195 | 455/404.2,456.1-457,414.1,414.2,440,432.1,443.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 08:53 |
| L5 | 1054 | (mobile cellular) near6 (location) near5 (code signature token zip data) and 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 08:55 |
| L6 | 276 | (mobile cellular) near6 (location) near5 (code signature token zip data) and 4 and location near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 10:46 |
| L7 | 10 | (mobile cellular) near6 (location) near5 (code signature token zip data) and 4 and location near3 server and (intermediar\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 08:55 |
| L8 | 0 | (request\$5 command\$5 demand\$5 access\$5)near4 (simultaneosu\$5 concurrent\$5) near5 (information data) near4 (several multiple various) near4 (servers) and 4 and location near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 10:40 |
| L9 | 0 | (request\$5 command\$5 demand\$5 access\$5)near4 (simultaneosu\$5 concurrent\$5) near5 (information data) near4 (several multiple various) near4 (servers) and 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 10:40 |
| L10 | 10 | (collect\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location)) and 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:02 |
| L11 | 29 | ((find\$5 locat\$5) adj (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) adj (server station)) and 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:03 |
| L12 | 0 | (transfer\$5) near5 (collecting compil\$5 gather\$5)near6 (position location) near5 (coordinate ZIP:city latitude longitude country) same (mobile wireless) and 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:04 |
| L13 | 35758 | "701"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 10:46 |
| L14 | 125 | (mobile cellular) near6 (location) near5 (code signature token zip data) and L13 and location near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:05 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| L15 | 3 | (collect\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location)) and 13 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:04 |
| L16 | 3 | ((find\$5 locat\$5) adj (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) adj (server station)) and 13 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:03 |
| L17 | 0 | (transfer\$5) near5 (collecting compil\$5 gather\$5)near6 (position location) near5 (coordinate ZIP city latitude longitude country) same (mobile wireless) and 13 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:04 |
| L18 | 125320 | "340"/\$.ccls | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:09 |
| L19 | 1 | (collect\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location)) and 18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:09 |
| L20 | 58 | (mobile cellular) near6 (location) near5 (code signature token zip data) and L18 and location near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:11 |
| L21 | 37036 | "342"/\$.ccls | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:09 |
| L22 | 7 | (collect\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location)) and 21 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:09 |
| L23 | 119 | (mobile cellular) near6 (location) near5 (code signature token zip data) and L21 and location near3 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 11:11 |
| S1 | 1160 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location))and (handoff handover) and ((WAP) (gateway server)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:21 |
| S2 | 26 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location))and (handoff handover) and ((WAP) (gateway server))) and ((insert\$5 provid\$5 get\$5 collect\$5 obtain\$4 gather\$5) near5 (client PDA cell mobile) near10 (code signature flag)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:50 |
| S3 | 41300 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 11:43 |
| S4 | 21484 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5)near3 (mobile cell PDA) near10 (client location)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 11:44 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S5 | 5460 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5)near3 ((mobile cell PDA) adj (client location))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 11:45 |
| S7 | 11 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location))) and (WAP (wireless adj application adj rotocol)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 12:50 |
| S8 | 2 | "6594666".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 12:05 |
| S9 | 21 | ((collect\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 10:40 |
| S10 | 421 | (location position) near10 (dependent) near5 (servic\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 12:50 |
| S11 | 71 | ((location position) near10 (dependent) near5 (servic\$4)) and (WAP (wireless adj application adj rotocol)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/19 17:01 |
| S12 | 11 | (Location adj token) and ((collect\$5 request\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 13:18 |
| S13 | 181 | Location adj token | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:58 |
| S14 | 3 | (Location adj token) and (WAP (wireless adj application adj rotocol)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 13:11 |
| S15 | 0 | "2002/0155844".PN. | USPAT | OR | OFF | 2005/04/29 14:10 |
| S16 | 0 | "2002/0155844".PN. | USPAT | OR | OFF | 2004/04/28 13:12 |
| S17 | 0 | "2002/0155844".PN. | USPAT | OR | OFF | 2004/04/28 13:12 |
| S18 | 0 | "2002/0155844".PN. | USPAT | OR | OFF | 2004/04/28 13:12 |
| S19 | 0 | "2002/0155844".PN. | USPAT | OR | OFF | 2004/04/28 13:12 |
| S20 | 0 | "2002/0049537".PN. | USPAT | OR | OFF | 2004/04/28 13:12 |
| S21 | 1 | "6012014".PN. | USPAT | OR | OFF | 2004/04/28 13:12 |
| S22 | 1 | "5305217".PN. | USPAT | OR | OFF | 2004/04/28 13:13 |
| S23 | 1 | "6389289".PN. | USPAT | OR | OFF | 2004/04/28 13:14 |
| S24 | 0 | ((collect\$5 request\$5gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((mutiple) adj (severs devices gateway proxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 13:20 |
| S25 | 0 | ((collect\$5 request\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((mutiple) adj (severs devices gateway proxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 13:20 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S26 | 0 | ((collect\$5 request\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((multiple) adj (servers devices gateway proxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 13:20 |
| S27 | 4 | ((collect\$5 request\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((multiple) adj (servers devices gateway proxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 13:21 |
| S28 | 9 | ((collect\$5 request\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((multiple plurality) adj (servers devices gateway proxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 13:44 |
| S29 | 407 | (collect\$5 request\$5 obtain\$5) near5 ((mobile cell PDA) adj (client location)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:33 |
| S30 | 42 | ((collect\$5 request\$5 obtain\$5) near5 ((mobile cell PDA client) adj (location))) and ((insert\$ include\$4) near5 (information location coordinate) near5 (URL token communication)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:32 |
| S31 | 1 | (location adj command) and (signature adj code) and ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA client)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:30 |
| S32 | 1 | (location adj command) and (signature adj code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:30 |
| S33 | 369 | (collect\$5 request\$5 obtain\$5) near5 ((mobile cell PDA client) adj (location)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:32 |
| S34 | 14291 | ((insert\$ include\$4) near5 (information location coordinate) near5 (URL token communication)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 15:17 |
| S35 | 26 | ((insert\$ include\$4) near5 (information location coordinate) near5 (URL token communication))) and (collect\$5 request\$5) near5 ((mobile cell PDA) adj (client location)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:34 |
| S36 | 734 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) and (handoff handover) and ((WAP) (gateway server))) and "455"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:50 |
| S37 | 2 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) and (handoff handover) and ((WAP) (gateway server))) and "455"/\$.ccls.) and ((insert\$5) near5 (client PDA cell mobile) near10 (code signature flag)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:55 |
| S38 | 0 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) and (handoff handover) and ((WAP) (gateway server))) and "455"/\$.ccls.) and ((insert\$5) near3 (location) near10 (code signature flag)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 14:56 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S39 | 1925 | ((insert\$5 includ\$4) near3 ((location)and ((code adj signature) flag))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 15:01 |
| S40 | 10 | ((insert\$5 includ\$4) near3 ((location)and ((code adj signature) flag))) and (Location adj token) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/29 13:31 |
| S41 | 117860 | (find\$5 locat\$5) near10 (mobile cell PDA (mobile adj station)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 15:32 |
| S42 | 1424 | ((find\$5 locat\$5) near10 (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) near3 (server station)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:04 |
| S43 | 33 | ((find\$5 locat\$5) near10 (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) near3 (server station))) and ((insert\$ includ\$4) near5 (token (signature adj code))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 15:31 |
| S44 | 1 | ((find\$5 locat\$5) near10 (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) near3 (server station))) and ((insert\$ includ\$4) near5 ((signature adj code))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 15:31 |
| S45 | 17194 | (find\$5 locat\$5) adj (mobile cell PDA (mobile adj station)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 15:32 |
| S46 | 93 | ((find\$5 locat\$5) adj (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) adj (server station)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 10:42 |
| S47 | 2 | "5628051".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 10:29 |
| S48 | 2 | "6091958".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 15:55 |
| S49 | 3 | "6075993".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 15:56 |
| S50 | 2 | "6061561".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 15:56 |
| S51 | 8 | ((find\$5 locat\$5) adj (mobile cell PDA (mobile adj station))) and ((intermediary) adj (server station)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:00 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S52 | 2 | "6628938".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:03 |
| S53 | 219 | (determin\$5) near3 (current) near3 (location) near3 (cell pda mobile WAP) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:29 |
| S54 | 13 | ((determin\$5) near3 (current) near3 (location) near3 (cell pda mobile WAP)) and ((intermediary gateway (wap adj gateway)) near3 (server station)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:04 |
| S55 | 1 | ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location))and (handoff handover) and ((WAP) (gateway server))) and (location) adj (resolution) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:25 |
| S56 | 14 | ((location) adj (resolution)) and command and intermediary | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:29 |
| S57 | 0 | ((location) adj (resolution))) and (determin\$5) near3 (current) near3 (location) near3 (cell pda mobile WAP) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:30 |
| S58 | 389 | ((location) adj (resolution)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:30 |
| S59 | 1 | ((location) adj (resolution))) and (Location adj token) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/28 16:30 |
| S60 | 101 | ((location) adj (resolution))) and (Location adj information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 08:25 |
| S61 | 1 | (09/759740) and (Hutsch) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/04/29 08:25 |
| S62 | 1 | "6163701".pn. | USPAT | OR | OFF | 2004/04/30 09:29 |
| S63 | 1 | "6259923".pn. | USPAT | OR | OFF | 2004/04/30 09:30 |
| S64 | 1 | "6542819".pn. | USPAT | OR | OFF | 2004/04/30 10:17 |
| S65 | 1 | "6446117".pn. | USPAT | OR | OFF | 2004/04/30 10:17 |
| S66 | 2 | "6163701".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/29 11:22 |
| S67 | 2235 | (insert\$5 includ\$4) near3 (location) near5 ((code signature flag token)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/29 13:33 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S68 | 121 | (insert\$5 includ\$4) near3 (location) near5 ((token)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/29 14:01 |
| S69 | 4 | (insert\$5 includ\$4) near3 (location) near5 ((token)) and (WAP) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/29 13:43 |
| S70 | 7 | (insert\$5 includ\$4 request\$5 demand\$5) near3 (location) near5 ((token)) and (WAP) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/29 13:44 |
| S71 | 1398 | (collect\$5 request\$5 insert\$5 includ\$5) near3 (cell) near4 (ID identification) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/29 14:02 |
| S72 | 103 | (collect\$5 request\$5 insert\$5 includ\$5) adj (cell) adj(ID identification) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 08:39 |
| S73 | 1 | "5930699".PN | USPAT | OR | OFF | 2005/05/02 07:21 |
| S74 | 0 | (Mukherjee) and (10/279310) | USPAT | OR | OFF | 2005/05/02 07:22 |
| S75 | 356 | (Mukherjee) and (10/279, "310") | USPAT | OR | OFF | 2005/05/02 07:25 |
| S76 | 0 | (Mukherjee) and (10/279310) | USPAT | OR | OFF | 2005/05/02 07:26 |
| S77 | 0 | (Mukherjee) and ("20040081118") | USPAT | OR | OFF | 2005/05/02 07:26 |
| S78 | 0 | (Mukherjee) and ("2004/0081118") | USPAT | OR | OFF | 2005/05/02 07:26 |
| S79 | 4006 | (device PDA (cell near2 phone) (mobile)) near4 (request\$5 command\$5 demand\$5) near4 (location coordinat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 08:54 |
| S80 | 12 | (device PDA (cell near2 phone) (mobile)) near4 (request\$5 command\$5 demand\$5) near4 (location coordinat\$5) and (signature) near4 (code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 08:51 |
| S81 | 2 | (device PDA (cell near2 phone) (mobile)) near4 (request\$5 command\$5 demand\$5) near4 (location) near4 (coordinat\$5 information) and (signature) near4 (code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 08:52 |
| S82 | 106 | (device PDA (cell near2 phone) (mobile)) near4 (request\$5 command\$5 demand\$5) near4 (coordinat\$5 information) and (signature) near4 (code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 08:52 |
| S83 | 1244 | (device PDA (cell near2 phone) (mobile)) near2 (request\$5 command\$5 demand\$5) near2 (location coordinat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 08:54 |
| S84 | 41 | (device PDA (cell near2 phone) (mobile)) adj(request\$5 command\$5 demand\$5)adj(location coordinat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 09:17 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S85 | 0 | (device PDA (cell near2 phone) (mobile)) adj(request\$5 command\$5 demand\$5)adj(spatial coordinat\$5) adj (location) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 09:18 |
| S86 | 6 | (request\$5 command\$5 demand\$5)adj(spatial coordinat\$5) adj (location) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 09:23 |
| S87 | 0 | (request\$5 command\$5 demand\$5 access\$5)near4 (simultaneosu\$5 concurrent\$5) near5 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:33 |
| S88 | 0 | (request\$5 command\$5 demand\$5 access\$5)near4 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 12:20 |
| S89 | 6 | (request\$5 command\$5 demand\$5 access\$5) near4 (spatial coordinat\$5) near4 (information data) near4 (several multiple various) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:32 |
| S90 | 0 | (several multiple various plural\$5) near4 (spatial adj location adj server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:04 |
| S91 | 4 | (spatial adj location adj server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 09:33 |
| S92 | 2 | ("5323394".pn.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 09:31 |
| S93 | 119 | (several multiple various plural\$5) near4 (location adj server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 09:33 |
| S94 | 1 | ("5613122").PN | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 10:20 |
| S95 | 1 | "6542819".PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 11:20 |
| S96 | 4 | ("5488559" "5906655" "5982324" "6160837").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 10:21 |
| S97 | 6 | (request\$5 command\$5 demand\$5 access\$5 broadcast\$5) near4 (spatial coordinat\$5) near4 (information data) near4 (several multiple various) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:33 |
| S98 | 0 | (broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5)near4 (simultaneosu\$5 concurrent\$5) near5 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:58 |

EAST Search History

| | | | | | | |
|----------|----|---|---|----|----|------------------|
| S99 | 0 | (broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5)near4 (location spatial) near4 (information data) near4 (several multiple various) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:34 |
| S10 0 | 1 | (broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5)near4 (location spatial) near5 (several multiple various) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:34 |
| S10 1 | 2 | (broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5)near4 (location spatial) near5 (several multiple various plural\$5) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:35 |
| S10 2 | 0 | (Intermediar\$5 junction\$5) near4 (node server) near (insert\$5 add\$5) near4 (location) near4 (data field information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:49 |
| S10 3 | 1 | (mobile) near5 (geolocation geoposition) near4 (resolut\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:53 |
| S10 4 | 16 | (geolocation geoposition) near4 (resolut\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:53 |
| S10 5 | 0 | (broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5)near4 (simultaneosu\$5 concurrent\$5) near5 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (servers) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:59 |
| S10 6 | 0 | (broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5)near4 (simultaneosu\$5 concurrent\$5) near5 (information data) near4 (several multiple various) near4 (servers) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 10:59 |
| S10 7 | 19 | (request\$5 command\$5 demand\$5 access\$5)near4 (simultaneosu\$5 concurrent\$5) near5 (information data) near4 (several multiple various) near4 (servers) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:00 |
| S10 8 | 0 | (request\$5 command\$5 demand\$5 access\$5)near4 (geolocation) near5 (information data) near4 (several multiple various) near4 (servers) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:00 |
| S10 9 | 0 | (request\$5 command\$5 demand\$5 access\$5)near4 (geolocation) near5 (information data) near4 (several multiple various plural\$5) near4 (servers) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:02 |
| S11 0 | 0 | "701"/\$.ccls. and (request\$5 command\$5 demand\$5 access\$5)near4 (geolocation) near5 (information data) near4 (several multiple various plural\$5) near4 (servers) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:02 |
| S11 1 | 0 | "701"/213,214.ccls. and (geolocation) near5 (information data) near4 (several multiple various plural\$5) near4 (servers) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:03 |

EAST Search History

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S11 2 | 0 | "701"/213,214.ccls. and (geolocation geopostion) near5 (information data) near4 (several multiple various plural\$5) near4 (servers) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:03 |
| S11 3 | 1949 | 701/213,214.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:08 |
| S11 4 | 0 | S113 and (several multiple various plural\$5) near4 (spatial adj location adj server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:04 |
| S11 5 | 0 | S113 and (spatial adj location adj server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:04 |
| S11 6 | 0 | S113 and (several multiple various plural\$5) near4 (spatial near3 location near3 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:04 |
| S11 7 | 1 | S113 and ((several multiple various plural\$5) near4 (spatial position mobile) near3 location near3 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:05 |
| S11 8 | 8 | ("5444444" "5470233" "5570100" "5699244" "5732074" "5790974" "5808565" "5938721").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 11:06 |
| S11 9 | 0 | 701/213,214.ccls.and S104 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:08 |
| S12 0 | 243 | (collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:14 |
| S12 1 | 745 | (mobile near2 location near2 center) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:14 |
| S12 2 | 400 | (mobile adj location adj center) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:14 |
| S12 3 | 46 | (mobile adj location adj center) same (location near2 (token field data header)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 11:15 |
| S12 4 | 1 | "5570100".PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 11:54 |
| S12 5 | 57 | (nitin near2 C near2 patel).xa. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 11:57 |

EAST Search History

| | | | | | | |
|----------|---------|---|---|----|----|------------------|
| S12 6 | 1539244 | (navigat\$5 guid\$5) near4 (mobile near3 (device user)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 11:57 |
| S12 7 | 780 | (navigat\$5 guid\$5) near4 (mobile near3 (device user)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 11:58 |
| S12 8 | 0 | (navigat\$5 guid\$5) with (dynamic\$ near4 updat\$5 upgrad\$5) near5 (mobile near3 (device user)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:00 |
| S12 9 | 545 | (navigat\$5 guid\$5) with (dynamic\$ near4 updat\$5 upgrad\$5) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:00 |
| S13 0 | 180 | S129 and (locat\$5 near4 (data filed token)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:01 |
| S13 1 | 0 | S129 and (locat\$5 near4 (token)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:01 |
| S13 2 | 185 | S129 and locat\$5 near4 (data field) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:10 |
| S13 3 | 1 | "5933100".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 13:25 |
| S13 4 | 1 | "6012012".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:12 |
| S13 5 | 1 | "6216085".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:13 |
| S13 6 | 1 | "6336072".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:15 |
| S13 7 | 1 | "5819201".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:16 |
| S13 8 | 1 | "6119095".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:16 |
| S13 9 | 1 | "6480783".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:16 |
| S14 0 | 1 | "6317685".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 12:50 |
| S14 1 | 0 | (revis\$5 updat\$5)near4 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 12:21 |
| S14 2 | 0 | (revis\$5 updat\$5)near4 (geolocation) near4 (information data) near4 (several multiple various) near4 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 12:21 |
| S14 3 | 35 | (revis\$5 updat\$5)near4 (spatial coordinat\$5) near4 (location) near4 (information data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/06 12:21 |
| S14 4 | 4 | ("5488559" "5906655" "5982324" "6160837").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:37 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S14 5 | 8 | ("5444444" "5470233" "5570100" "5699244" "5732074" "5790974" "5808565" "5938721").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 12:37 |
| S14 6 | 1 | "5872931".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/06 13:25 |
| S14 7 | 0 | (dynamic\$5 real-time) near5 (updat\$5 inform\$5) near5 (mobile) near5 (client user device vehicle) near5 (plural\$5 multipl\$5 several\$5) near5 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 16:44 |
| S14 8 | 2 | (dynamic\$5 real-time) near10 (updat\$5 inform\$5) near10 (mobile) near10 (client user device vehicle) near10 (plural\$5 multipl\$5 several\$5) near10 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 08:48 |
| S14 9 | 12 | ("5293163" "5938721" "5946687" "6014090" "6047327" "6122520" "6144318" "6151624" "6154172" "6154745" "6199099" "6381603").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/12 16:52 |
| S15 0 | 189 | (updat\$5 inform\$5) near10 (mobile) near10 (client user device vehicle) near10 (plural\$5 multipl\$5 several\$5) near10 (server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 10:53 |
| S15 1 | 20 | intermediary near5 location near4 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 10:07 |
| S15 2 | 0 | intermediary near5 mobile near5 location near4 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 10:07 |
| S15 3 | 24 | intermediary near5 mobile near4 server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 10:07 |
| S15 4 | 38 | ("4445118" "4601005" "4622557" "4701934" "4785463" "4797677" "4959656" "4998111" "5043736" "5119102" "5202829" "5223844" "5225842" "5271034" "5311194" "5317323" "5323163" "5365450" "5379047" "5379224" "5379320" "5416797" "5418538" "5420592" "5430759" "5483549" "5519403" "5543789" "5636122" "5652570" "5663734" "5757916" "5928306" "6014090" "6070078" "6199045" "6240360" "6331825").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/13 10:14 |
| S15 5 | 2 | "6636873".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 10:30 |
| S15 6 | 3 | (mobile) near5 (client user device vehicle) near5 (signature near2 code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 12:23 |
| S15 7 | 15 | (mobile) near5 (client user device vehicle) same (signature near2 code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/13 12:24 |
| S15 8 | 1 | "6236866".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 13:09 |

EAST Search History

| | | | | | | |
|----------|-------|---|---|----|----|------------------|
| S15 9 | 871 | (location near4 code) and (CDMA) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 13:11 |
| S16 0 | 111 | (location near4 code) same (CDMA) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 13:10 |
| S16 1 | 0 | (location near4 signature near3 code) same (CDMA) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 13:10 |
| S16 2 | 103 | (location adj code) and (CDMA) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 13:11 |
| S16 3 | 13 | (location adj code) same(CDMA) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 13:13 |
| S16 4 | 1468 | ((signature PN pseudonoise) adj code) same(CDMA) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 13:14 |
| S16 5 | 59 | ((signature PN pseudonoise) adj code)near2 (locat\$5) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 14:13 |
| S16 6 | 44 | (pseudorang\$5 adj Mobile) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 15:19 |
| S16 7 | 2 | (09/778562) and (cohen) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 15:20 |
| S16 8 | 1 | "5991735".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 16:34 |
| S16 9 | 40 | (track\$5) near4 (frame adj (ID identifier)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 15:37 |
| S17 0 | 1 | "5874914".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 16:35 |
| S17 1 | 1 | "5841396".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/05/19 16:35 |
| S17 2 | 21 | (MS mobile) near5 (location position) near5 (updat\$5) near5 (repeat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/19 17:02 |
| S17 3 | 2 | "6677894".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 15:48 |
| S17 4 | 42454 | (location) near5 (field) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 15:49 |
| S17 5 | 1123 | (location) near5 (field) same (mobile cellular PDA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 15:49 |
| S17 6 | 98 | (location) near5 (field) same (mobile cellular PDA) same (server URL URI) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 15:53 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S17 7 | 99 | (location) near5 (field) same (mobile cellular PDA) same (server URL URI) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 16:11 |
| S17 8 | 50 | (collect\$6) same (transfer\$5) same (location) same (mobile cellular PDA) same (server URL URI) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 17:20 |
| S17 9 | 1 | (collect\$6) same (transfer\$5) same (location) same (intermediate intermediary) same (mobile cellular PDA) same (server URL URI) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 17:22 |
| S18 0 | 2 | (collect\$6) same (transfer\$5) same (location) same (intermediate intermediary) same (server URL URI) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 17:23 |
| S18 1 | 359 | (insert\$5 request\$5) same (location) same (intermediate intermediary) same (server URL URI) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 17:23 |
| S18 2 | 174 | (insert\$5 request\$5) same (location) same (intermediate intermediary) same (server URL URI) and (wireless WAP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 17:28 |
| S18 3 | 2 | (insert\$5 request\$5) near5 (updat\$5) near5 (location) same (intermediate intermediary) same (server URL URI) and (wireless WAP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 17:29 |
| S18 4 | 0 | (updat\$5) near5 (mobile cellular subscriber) near5 (location) same (intermediate intermediary) same (server node proxy) and (wireless WAP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/15 17:30 |
| S18 5 | 25 | (updat\$5) near5 (location) same (intermediate intermediary) same (server node proxy) and (wireless WAP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/16 07:18 |
| S18 6 | 2 | "6694361".pn | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/16 07:18 |
| S18 7 | 37 | (server gateway) near4 (insert\$5 includ\$4) near3 (location) near5 (code signature token) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 15:38 |

EAST Search History

| | | | | | | |
|----------|--------|---|---|----|----|------------------|
| S18 8 | 0 | (mobile cellular) near6 (collecting) near3 (location) near5 (code signature token) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 15:39 |
| S18 9 | 36 | (mobile cellular) near6 (collecting) near3 (location) near5 (code signature token zip data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 08:54 |
| S19 0 | 147 | (signature near3 code) near6 (position location coordintaes ZIP cell city latitude longitude country) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 16:00 |
| S19 1 | 247245 | (transfer\$5) near6 (position location coordintaes ZIP cell city latitude longitude country) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 16:01 |
| S19 2 | 640 | (transfer\$5) near5 (collecting compil\$5 gather\$5)near6 (position location coordintaes ZIP cell city latitude longitude country) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 16:01 |
| S19 3 | 168 | (transfer\$5) near5 (collecting compil\$5 gather\$5)near6 (position location coordintaes ZIP cell city latitude longitude country) same (mobile cell wireless) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 16:04 |
| S19 4 | 1 | (transfer\$5) near5 (collecting compil\$5 gather\$5)near6 (position location) near5 (coordinate ZIP cell city latitude longitude country) same (mobile cell wireless) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 16:05 |
| S19 5 | 0 | (transfer\$5) near5 (collecting compil\$5 gather\$5)near6 (position location) near5 (coordinate ZIP city latitude longitude country) same (mobile wireless) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/23 10:45 |
| S19 6 | 0 | (transfer\$5) near5 (collecting compil\$5 gather\$5)near6 (position location) near5 (coordinate ZIP city latitude longitude country) and (mobile wireless) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 16:06 |
| S19 7 | 0 | (transfer\$5) near5 (collecting compil\$5 gather\$5)near6 (position location) near5 (coordinate ZIP city latitude longitude country) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 16:05 |
| S19 8 | 83 | (collecting compil\$5 gather\$5)near6 (position location) near5 (coordinate ZIP city latitude longitude country) and (mobile wireless) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 16:55 |
| S19 9 | 2 | "6677894" pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 17:03 |
| S20 0 | 2 | 09/975037 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/02/22 17:03 |

EAST Search History

| | | | | | | |
|----------|----|--|------------------------------|----|----|------------------|
| S20 1 | 38 | ("4445118" "4601005" "4622557" "4701934" "4785463" "4797677" "4959656" "4998111" "5043736" "5119102" "5202829" "5223844" "5225842" "5271034" "5311194" "5317323" "5323163" "5365450" "5379047" "5379224" "5379320" "5416797" "5418538" "5420592" "5430759" "5483549" "5519403" "5543789" "5636122" "5652570" "5663734" "5757916" "5928306" "6014090" "6070078" "6199045" "6240360" "6331825").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/02/23 08:02 |
|----------|----|--|------------------------------|----|----|------------------|